

公開日： 2024年8月

プロトコール名		切除不能・再発
オブジーボ・FP療法 (根治切除不能の進行・再発の 食道癌) 消化器内科	1クール	4週
	総クール	未定
	休業期間	3週

番号	薬剤名・用量 (mg/body)	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28
①	生食 500mL + 硫酸Mg補正液 0.4A	→																											
②	生食 500mL	→																											
③	生食 50mL(②と同時)	→																											
④	オブジーボ(480mg/body) + 生食 100mL	→																											
⑤	生食 50mL	→																											
⑥	生食 50mL(洗浄用)		→	→	→	→																							
⑦	生食 50mL(プライミング用)		→	→	→	→																							
⑧	フルオウラシル(800mg/m ²) + ソルデム1 500mL (24時間持続)	→	→	→	→	→																							
⑨	生食 50mL(洗浄用)						→																						
⑩	ホスアプレピタント(150) 1V + 生食 100mL (⑧と同時に開始)	→																											
⑪	パロセトロン(0.75)ハッグ 1P + テキサート(1.65) 6A	→																											
⑫	ランダ(80mg/m ²) + 生食(total500mL)	→																											
⑬	フロセミド(20) 1A	→																											
⑭	生食 100mL + テキサート(1.65) 4A		→	→	→	→																							
⑮	生食500mL	→	→	→	→	→																							
⑯	生食500mL	→	→	→	→	→																							
⑰	生食500mL		→	→	→	→																							