

公開日： 2026年6月

プロトコール名	1クール	3週
DCF療法 (術前食道癌) 消化器科	総クール	3クール
	休業期間	2週

番号	薬剤名・用量(mg/body)	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	
①	生食 500mL + 硫酸Mg補正液 0.4A	→																					
②	生食 500mL	→																					
③	生食 50mL(洗浄用)		→	→	→	→																	
④	生食 50mL(プライミング用)		→	→	→	→																	
⑤	生食 100mL + テキサート(1.65) 4A		→	→	→	→																	
⑥	ホスアプレピタント(150) 1V + 生食 100mL	→																					
⑦	パロ/セロン(0.75)バッグ 1P + テキサート(1.65) 6A	→																					
⑧	ドセタキセル(70mg/m ²) + 生食250mL	→																					
⑨	生食 50mL(洗浄用)	→																					
⑩	フルオウラシル(750mg/m ²) + ソルデム1 500mL (24時間持続)	→	→	→	→	→																	
⑪	ランダ(70mg/m ²) + 生食(total500mL)	→																					
⑫	フロセミド(20) 1A	→																					
⑬	生食500mL	→	→	→	→	→																	
⑭	生食500mL	→	→	→	→	→																	
⑮	生食500mL		→	→	→	→																	
⑯	生食 50mL(洗浄用)						→																